| Team | Head 1 | Head 2 |
|--|--------|--------|
| Dewormer (max 15 points) | | |
| Possible 2 point deductions include: | | |
| Improper measure of dosage for proper applicator | | |
| Handling products labeled as hazardous without gloves | | |
| Possible 1 Point deductions to include: | | |
| Took more than 1 attempt to administer properly | | |
| Failure to apply the topical product from withers to tailhead | | |
| Failure to wait to complete injections before applying topical product | | |
| Failure to adjust technique if corrected by official | | |
| Other deductions | | |
| 1 | | |
| 2 | | |
| | | |
| Total Points | | |
| | | |
| | | |
| Clostridial Vaccination (max 15 points) | | |
| Possible 2 point deductions include: | | |
| Injection given behind the neck, too high, too low or too far forward | | |
| Needle used to give vaccine is same needle used to draw vaccine | | |
| (unless 10 dose bottle) | | |
| Possible 1 Point deductions to include: | | |
| Injection not given where indicated on cattle processing plan | | |
| Took more than 1 attempt to administer properly | | |
| IM injection was given to shallow in the muscle | | |
| Wrong dose given (too much or too little) | | |
| Needle was dropped or bent | | |
| Other deductions | | |
| 1 | | |
| 2 | | |

| Respiratory Vaccine Injection (max of 15 points) | Head 1 | Head 2 |
|--|--------|--------|
| Possible 2 Point deductions to include: | | |
| Failure to re-administer product if not given correctly on first attempt | | |
| Shot was given IM instead of SQ | | |
| Injection given behind the neck, too high, too low or too far forward | | |
| Needle used to give vaccine is same needle used to draw vaccine | | |
| Possible 1 Point deductions to include: | | |
| Took more than 1 attempt to administer properly | | |
| Injection not given where indicated on cattle processing plan | | |
| IM injection was given too shallow in the muscle | | |
| IM injection was given to low or high on the neck | | |
| Wrong dose given (too much or too little) | | |
| Needle dropped or bent | | |
| Other deductions: | | |
| 1 | | |
| 2 | | |
| 3 | | |
| Communication/Team Work: (max 10 points) | | |
| Possible 1 point deductions to include: | | |
| One individual performs all task | | |
| No Communication between members | | |
| Failure to communicate needs between team members | | |
| Other deductions: | | |
| 1 | | |
| 2 | | |
| 3 | | |
| Comments: | | |
| Pre inspection of all equipment: (max 10 points) | | |
| Time limit on pre inspection of 4 minutes** | | |
| 1 Point deductions | | |
| Latches properly secured | | |
| Check scales that they were working and balanced | | |
| Check squeeze chute is released and head gate closed | | |

| Cattle Handling (max 25 points) | Head 1 | Head 2 |
|--|--------|--------|
| Possible 2 point deduction to include: | | |
| Rough handling | | |
| Excessive roughness in moving cattle | | |
| Failure to use crowd gate | | |
| Excessive use of cattle stick | | |
| Possible 1 point deductions to include: | | |
| Team had to have more than 1 attempt to load cattle into alley chute | | |
| Noisy handling | | |
| Missed head | | |
| Failure to use squeeze before starting processing | | |
| Failure to latch crowd gate | | |
| Failure to use bar behind calves (if available) | | |
| Failure to remove bar in chute after releasing calf (if available) | | |
| Other deductions | | |
| 1 | | |
| 2 | | |
| 3 | | |
| Safety (max 25 points) | | |
| Possible 2 point deductions to include: | | |
| Any action that puts handlers/team at risk | | |
| Handler's head too close to the calf's head during tagging | | |
| Attempting to inject in the neck in front of the head catch | | |
| Possible 1 point deductions to include: | | |
| Dropping the tail gate on the calf | | |
| Did not utilize team work to complete task | | |
| Unsafe travel with needle | | |
| Appropriate attire, footwear, and hair | | |
| 1 | | |
| 2 | | |
| Comments | | |

Regional Cattle Working Contest Score Sheet

| Processing Plan | Deduction | |
|--|-----------|--|
| FIOLESSING FIGH | Deduction | |
| Product name not Complete | -1 | |
| Route of Administration | -1 | |
| Two different vaccinations are given in same place | -1 | |
| Deworming application is inaccurately depicted | -0.5 | |
| Dose | | |
| Dosing is incorrect | -1 | |
| Impractical dose is provided | -0.5 | |
| Preslaugher withdrawal | | |
| Cell is left blank or information is incorrect | -1 | |
| Comments: | | |

Time: (Based on team average. Can be adjusted) Under 9 minutes (10 points) 9:01-9:30 (9 points) 9:31-10:00 (8 points) 10:01-10:30 (7 points) 10:31-11:00 (6 points) 11:01-11:30 (5 points) 11:31-12:00 (4 points) 12:01-13:00 (3 points) 13:01-14:00 (2 points) 14:01-15:00 (1point Over 15 minutes NO Points **TIME LIMIT OF 20 MINUTES**

TOTAL SCORES:

| Cattle Processing Plan (20 points) |
|--|
| Pre check on working equipment (10 points) |
| Dewormer (15 points) |
| Clostridial Vaccine (15 points) |
| Respiratory Vaccine (15 points) |
| Team Work/ Communication (10 points) |
| Handling of Cattle (25 points) |
| Safety in Handling (25 points) |
| Time (up to 10 points) |
| BQA Test (15 points) |
| Skillathon station 1 (10 points) |
| Skillathon station 2 (10 points) |
| Skillathon station 3 (10 points) |
| Skillathon station 4 (10 points) |
| Total Scores: (200 points) |
| Team # |